

PRODUCT CATALOG

EFFECTIVE DATE AUGUST 1ST, 2025



**SAME COMPANY,
NEW LOGO!**

**THE
BOSTON VALVE CO.**

A DIVISION OF BOSTON METAL PRODUCTS

25 Thurber Blvd. Unit #2, Smithfield, RI 02917

Tel: 401-231-8537 or 1-800-839-0013

Fax: 401-231-8491

www.bostonvalve.com

Table Of Contents

BALL VALVES

<u>PAGE</u>	<u>DESCRIPTION</u>	
3	BLF9101, SST9101	FORGED BRASS & STAINLESS STEEL TRIM BALL VALVE
4	BLF9201, SST9201	FORGED BRASS & STAINLESS STEEL TRIM BALL VALVE
5	USA9101	LEAD FREE BRASS BALL VALVE
6	USA9201	LEAD FREE BALL VALVE
7	BLFD9101	FORGED BRASS & LEAD FREE BALL VALVE W/DRAIN
8	BLFD9201	FORGED BRASS & LEAD FREE BALL VALVE W/DRAIN
9	BSS2201, BSS2201LF	LARGE FORGED BRASS & LEAD FREE BALL VALVE
10	BTT2101, BTT2101LF	LARGE FORGED BRASS & LEAD FREE BALL VALVE
11	LF1000	ECONOMY BALL VALVE
12	LF2000	ECONOMY BALL VALVE
13	USB9101, USB9101LF, USB9201, USB9201LF	FORGED BRASS & LEAD FREE BALL VALVE W/HOSE THREAD AND CAP
14	BPH537LF SERIES	HOSE THREAD WITH CAP BY PRESS JOINT BALL VALVE
15	GSCT8300	MINI GAS SHUTOFFS
16	GBV	FLARED GAS BALL VALVES
17	MBS	CSA & UL APPROVED GAS SERVICE BALL VALVE WITH 1/8 NPT SIDE TAP

SPECIALTY BALL VALVES

<u>PAGE</u>	<u>DESCRIPTION</u>	
18	COM1000LF	FORGED BRASS & LEAD FREE COMPRESSION END VALVE
19	COMD1000LF	FORGED BRASS & LEAD FREE COMPRESSION END VALVE W/DRAIN
20	B-PRESS537LF, BPRESSXLC	LEAD FREE B-PRESS CRIMP END LEAD FREE
21	BPD537LF	FORGED LEAD FREE BRASS BALL VALVE
22	BPT537LF SERIES	PUSH FIT BALL VALVE
23	BMS0001LF	FORGED BRASS & LEAD FREE MNPT BY SWEAT
24	BMF1000, BMF1000LF	FORGED BRASS & LEAD FREE MNPT BY SWEAT
25	USA9291LF	FORGED BRASS & LEAD FREE SWEAT BY FNPT
26	USAV7101	FORGED BRASS AUTOMATIC VENT
27	CR1000	FORGED BRASS PT PORT SIDE TAP
28	BPF930LF	LEAD FREE FORGED BRASS PUSH FIT BALL VALVE
29	PXLF, PBXLF	LEAD FREE PEX BALL VALVES
30	F1960LF, STW0002LF	LEAD FREE PEX BALL VALVES, FORGED BRASS STOP & WASTE
31	MBV018, BR114	FORGED BRASS 1/8" MINI VALVE
32	BTD0002LF	FORGED BRASS & LEAD FREE BOILER DRAIN
33	PSCLF, TSCLF, SSCLF	LEAD FREE FORGED BRASS CHROME SILLCOCK
34	PV1000, PV2000, PV3000	FORGED BRASS PURGE VALVE
35	FPV2000	FORGED BRASS CIRCULATOR VALVE, SWEAT W/PURGE
36	FLG1000	FORGED BRASS CIRCULATOR VALVE, NPT
37	FLG2000	FORGED BRASS CIRCULATOR VALVE, SWEAT
38	FPS1000, FPS2000	FORGED BRASS CIRCULATOR PURGE VALVE
39	FLG537, FPS537	FLANGED CIRCULATOR, FLANGED CIRCULATOR PURGE VALVE

CONVENTIONAL VALVES



<u>PAGE</u>	<u>DESCRIPTION</u>	
40	GV3100, GV3100LF	FORGED BRASS BRASS GATE NPT, LEAD FREE FORGED BRASS BRASS GATE NPT
41	GV3200, GV3200LF	FORGED BRASS GATE SWEAT, LEAD FREE FORGED BRASS GATE SWEAT
42	CHV41000, CHV4100LF	FORGED BRASS SWING CHECK NPT, LEAD FREE FORGED BRASS SWING CHECK NPT
43	CHV4200, CHV4200LF	FORGED BRASS SWING CHECK SWEAT, LEAD FREE FORGED BRASS SWING CHECK SWEAT
44	CHP537LF	PRESS STYLE END CHECK VALVE
45	SCV4100	FORGED BRASS NPT SPRING CHECK
46	BOD1000	FORGED BRASS BOILER DRAIN
47	STO3000	FORGED BRASS STOP & WASTE

OPTIONS

<u>PAGE</u>	<u>DESCRIPTION</u>
48	HANDLE OPTIONS
49, 50	PRIVATE LABEL

BLF9101 & SST9101LF SERIES FORGED BRASS BALL VALVE


A forged brass quarter turn valve, 600 WOG / 150WSP rated, two piece, full port, with female NPT end connections. Valve conforms to WW-V-35, type II, style 3 and is CSA certified to ASME B16.33 "Manually Operated Metallic Gas Valves for use in gas piping systems up to 125 PSIG"



DIMENSIONS

CAT. NO	CAT. NO	SIZE	L	D	H	W
BLF0259101	SST0259101LF	1/4	1.70	.39	1.71	3.65
BLF0389101	SST0389101LF	3/8	1.70	.39	1.71	3.65
BLF0509101	SST0509101LF	1/2	2.25	.59	1.80	3.65
BLF0759101	SST0759101LF	3/4	2.52	.75	2.05	4.65
BLF1009101	SST1009101LF	1	3.00	1.00	2.14	4.65
BLF1259101	SST1259101LF	1 1/4	3.44	1.25	2.84	5.62
BLF1509101	SST1509101LF	1 1/2	3.85	1.57	2.87	5.62
BLF2009101	SST2009101LF	2	4.30	1.97	3.23	5.62

PRESS. VS. TEMP. CURVE





MATERIALS

NO.	PART NAME	BLF SERIES MATERIALS	SSTLF SERIES MATERIALS
11	O-RING	BUNA-N	BUNA-N
10	NUT	ZINC PLATED STEEL	STANLESS STEEL
9	LOCK WASHER	ZINC PLATED STEEL	STANLESS STEEL
8	STEM PACKING	PTFE	PTFE
7	GLAND NUT	BRASS	BRASS
6	STEM	BRASS	TYPE 304 SST
5	HANDLE	ZINC PLTD STEEL, PLASTICOATED	STANLESS STEEL
4	SEAT	PTFE	PTFE
3	BALL	BRASS, CHROME PLTD.	TYPE 304 SST
2	END CAP	BRASS	BRASS
1	BODY	BRASS	BRASS

BOSTON METAL PRODUCTS, LTD. - 25 THURBER BLVD., UNIT #3 - SMITHFIELD, RI 02917
TOLL FREE: 1-800-839-0013, TEL: 401-231-8537, FAX: 401-231-8491
WWW.BOSTONVALVE.COM

BLF9201 & SST9201LF SERIES FORGED BRASS BALL VALVE


A forged brass quarter turn valve, 600 WOG/150WSP rated, two piece, full port, with solder joint end connections. Valve conforms to WW-V-35, type II, style 3 and is CSA certified to ASME A112.18.1



DIMENSIONS

CAT. NO.	CAT. NO.	SIZE	L	D	H	W
BLF0509201	SST0509201LF	1/2	2.21	.59	1.77	3.65
BLF0759201	SST0759201LF	3/4	2.78	.75	2.05	4.65
BLF1009201	SST1009201LF	1	3.27	1.00	2.14	4.65
BLF1259201	SST1259201LF	1 1/4	4.06	1.25	2.84	5.62
BLF1509201	SST1509201LF	1 1/2	4.30	1.57	2.87	5.62
BLF2009201	SST2009201LF	2	5.31	1.97	3.23	5.62

PRESS. VS. TEMP. CURVE





MATERIALS

NO.	PART NAME	BLF SERIES MATERIALS	SSTLF SERIES MATERIALS
11	O-RING	BUNA-N	BUNA-N
10	NUT	ZINC PLATED STEEL	STAINLESS STEEL
9	LOCK WASHER	ZINC PLATED STEEL	STAINLESS STEEL
8	STEM PACKING	PTFE	PTFE
7	GLAND NUT	BRASS	BRASS
6	STEM	BRASS	TYPE 304 SST
5	HANDLE	ZINC PLATED STEEL, PLASTICOATED	STAINLESS STEEL
4	SEAT	PTFE	PTFE
3	BALL	BRASS, HARD CHROME PLATE	TYPE 304 SST
2	END CAP	BRASS	BRASS
1	BODY	BRASS	BRASS

BOSTON METAL PRODUCTS, LTD. - 25 THURBER BLVD., UNIT #3 - SMITHFIELD, RI 02917
TOLL FREE: 1-800-839-0013, TEL: 401-231-8537, FAX: 401-231-8491
WWW.BOSTONVALVE.COM

USA9101 SERIES LEAD FREE FORGED BRASS BALL VALVE


A forged brass quarter turn valve, 600 WOG / 150WSP rated, two piece, full port, with female NPT end connections. Valve is CSA certified to be lead free, and conform to CGA3.16 and ASME B16.33 for gas service.



DIMENSIONS

CAT. NO.	SIZE	L	D	H	W
USA0259101	1/4	1.67	.39	1.71	3.35
USA0389101	3/8	1.72	.39	1.71	3.35
USA0509101	1/2	2.13	.59	1.77	3.35
USA0759101	3/4	2.36	.75	2.05	4.35
USA1009101	1	2.80	.98	2.20	4.35
USA1259101	1 1/4	3.29	1.26	2.50	5.65
USA1509101	1 1/2	3.70	1.57	2.70	5.65
USA2009101	2	4.13	1.97	3.23	5.65

PRESS. VS. TEMP. CURVE





MATERIAL LIST

NO.	PART NAME	USA SERIES
10	O-RING	VITON
9	NUT	ZINC PLATED STEEL
8	STEM PACKING	PTFE
7	GLAND NUT	BRASS C37700
6	STEM	TYPE 304 SST
5	HANDLE	ZINC PLATED STEEL, PLASTICOATED
4	SEAT	PTFE
3	BALL	TYPE 304 SST
2	END CAP	BRASS C46400
1	BODY	BRASS C46400

BOSTON METAL PRODUCTS, LTD. - 25 THURBER BLVD., UNIT #3 - SMITHFIELD, RI 02917
TOLL FREE: 1-800-839-0013, TEL: 401-231-8537, FAX: 401-231-8491
WWW.BOSTONVALVE.COM

USA9201 SERIES LEAD FREE FORGED BRASS BALL VALVE


A forged brass quarter turn valve, rated 600 WOG, two piece, full port, with solder joint end connections. Valve conforms to and is CSA certified to ASME A112.18.1.



DIMENSIONS

CAT. NO.	SIZE	L	D	H	W
USA0509201	1/2	2.17	.59	1.77	3.35
USA0759201	3/4	2.82	.75	2.05	4.35
USA1009201	1	3.28	1.00	2.20	4.35
USA1259201	1 1/4	4.06	1.25	2.50	5.65
USA1509201	1 1/2	4.32	1.57	2.70	5.65
USA2009201	2	5.45	1.97	3.23	5.65

PRESS. VS. TEMP. CURVE




MATERIAL LIST

NO.	PART NAME	USA SERIES
10	O-RING	VITON
9	NUT	ZINC PLATED STEEL
8	STEM PACKING	PTFE
7	GLAND NUT	BRASS C37700
6	STEM	TYPE 304 SST
5	HANDLE	ZINC PLTD STEEL, PLASTICOATED
4	SEAT	PTFE
3	BALL	TYPE 304 SST
2	END CAP	BRASS C46400
1	BODY	BRASS C46400

BOSTON METAL PRODUCTS, LTD. - 25 THURBER BLVD., UNIT #3 - SMITHFIELD, RI 02917
TOLL FREE: 1-800-839-0013, TEL: 401-231-8537, FAX: 401-231-8491
WWW.BOSTONVALVE.COM

BLFD9101 SERIES DRAINABLE BALL VALVE


A Stop and Waste design, 600 WOG / 150 WSP rated, two piece, full port, forged brass valve with female NPT connections. Valve conforms to WW-V-35, type II, style 2.



DIMENSIONS

CAT. NO.	SIZE	L	D	H	R	W
BLFD0509101	1/2	2.22	.59	1.55	.63	3.65
BLFD0759101	3/4	2.52	.75	1.90	.71	4.65
BLFD1009101	1	3.00	1.00	2.17	.78	4.65

PRESS. VS. TEMP. CURVE





MATERIALS

NO.	PART NAME	BLFD SERIES MATERIALS
12	O-RING	BUNA-N
11	DRAIN CAP	BRASS / BUNA-N
10	NUT	STAINLESS STEEL
9	LOCK WASHER	NYLON
8	STEM PACKING	PTFE
7	GLAND NUT	BRASS
6	STEM	304 STAINLESS STEEL
5	HANDLE	ZINC PLATED STEEL, PLASTICOATED
4	SEAT	PTFE
3	BALL	304 STAINLESS STEEL
2	END CAP	BRASS C46400
1	BODY	BRASS C46400

BOSTON METAL PRODUCTS, LTD. - 25 THURBER BLVD., UNIT #3 - SMITHFIELD, RI 02917
TOLL FREE: 1-800-839-0013, TEL: 401-231-8537, FAX: 401-231-8491
WWW.BOSTONVALVE.COM

BLFD9201 SERIES DRAINABLE BALL VALVE


A Stop and Waste design, 600 WOG /150 WSP rated, two piece, full port, forged brass valve with solder joint end connections. Valve conforms to WW-V-35, type II, style 2. CSA approved.



DIMENSIONS

CAT. NO.	SIZE	L	D	H	W
BLFD0509201	1/2	2.17	.59	1.77	3.35
BLFD0759201	3/4	2.82	.75	2.05	4.35
BLFD1009201	1	3.28	1.00	2.20	4.35
BLFD1259201	1 1/4	4.06	1.25	2.50	5.65
BLFD1509201	1 1/2	4.32	1.57	2.70	5.65
BLFD2009201	2	5.45	1.97	3.23	5.65

PRESS. VS. TEMP. CURVE



MATERIAL LIST



NO.	PART NAME	BLFD SERIES
10	O-RING	VITON
9	NUT	ZINC PLATED STEEL
8	STEM PACKING	PTFE
7	GLAND NUT	BRASS C37700
6	STEM	TYPE 304 SST
5	HANDLE	ZINC PLTD STEEL, PLASTICOATED
4	SEAT	PTFE
3	BALL	TYPE 304 SST
2	END CAP	BRASS C46400
1	BODY	BRASS C46400

BOSTON METAL PRODUCTS, LTD. - 25 THURBER BLVD., UNIT #3 - SMITHFIELD, RI 02917
TOLL FREE: 1-800-839-0013, TEL: 401-231-8537, FAX: 401-231-8491
WWW.BOSTONVALVE.COM

BSS2201 & BSS2201LF SERIES LARGE BALL VALVE




A quarter turn brass valve with solder joint end connections, Valve conforms to WW-V-35, type II, style 3. Rated 400 WOG /150 WSP.



DIMENSIONS

CAT. NO.	CAT. NO.	SIZE	L	D	H	W
BSS2502201	BSS2502201LF	2 1/2	6.37	2.52	4.65	9.62
BSS3002201	BSS3002201LF	3	7.16	2.95	5.00	9.62
BSS4002201	BSS4002201LF	4	9.22	3.90	5.62	10.5

PRESS. VS. TEMP. CURVE





MATERIAL LIST

NO.	PART NAME	BSS SERIES MATERIALS	BSSLF SERIES MATERIALS
11	O-RING	BUNA-N	BUNA-N
10	THREAD LOCK	NYLON	NYLON
9	NUT	ZINC PLATED STEEL	STAINLESS STEEL
8	STEM PACKING	PTFE	PTFE
7	GLAND NUT	BRASS	BRASS
6	STEM	BRASS	304 STAINLESS STEEL
5	HANDLE	ZINC PLATED STEEL, PLASTICOATED	CHROME PLT. STEEL, PLASTICOATED
4	SEAT	PTFE	PTFE
3	BALL	BRASS, HARD CHROME PLTD.	304 STAINLESS STEEL
2	END CAP	BRASS	BRASS C46400
1	BODY	BRASS	BRASS C46400


BOSTON METAL PRODUCTS, LTD. - 25 THURBER BLVD., UNIT #3 - SMITHFIELD, RI 02917
TOLL FREE: 1-800-839-0013, TEL: 401-231-8537, FAX: 401-231-8491
WWW.BOSTONVALVE.COM

BTT2101 & BTT2101LF ***SERIES*** ***LARGE BALL VALVE***

A quarter turn brass ball valve with female NPT end connections. Valve conforms to WW-V-35, type II, style 3. Rated 400 WOG /150 WSP, CSA certified to ASME B16.33 "Manually Operated Metallic Gas Valves for Gas Piping Systems up to 125 PSIG".



PRESS. VS. TEMP. CURVE



DIMENSIONS

CAT. NO.	CAT. NO.	SIZE	L	D	H	W
BTT2502101	BTT2502101LF	2 1/2	5.38	2.52	4.65	9.62
BTT3002101	BTT3002101LF	3	5.83	2.95	5.00	9.62
BTT4002101	BTT4002101LF	4	7.31	3.90	5.62	10.5



MATERIAL LIST

NO.	PART NAME	BTT SERIES MATERIALS	BTTLF SERIES MATERIALS
11	O-RING	BUNA-N	BUNA-N
10	LOCK WASHER	STEEL, ZINC PLATED	NYLON
9	NUT	STEEL, ZINC PLATED	STAINLESS STEEL
8	STEM PACKING	PTFE	PTFE
7	GLAND NUT	BRASS	BRASS
6	STEM	BRASS	304 STAINLESS STEEL
5	HANDLE	STEEL, ZINC PLATED, PLASTICOATED	STEEL, ZINC PLATED PLASTICOATED
4	SEAT	PTFE	PTFE
3	BALL	BRASS, HARD CHROME PLTD.	304 STAINLESS STEEL
2	END CAP	BRASS	BRASS C46400
1	BODY	BRASS	BRASS C46400

BOSTON METAL PRODUCTS, LTD. - 25 THURBER BLVD., UNIT #3 - SMITHFIELD, RI 02917
TOLL FREE: 1-800-839-0013, TEL: 401-231-8537, FAX: 401-231-8491
WWW.BOSTONVALVE.COM

LF1000 SERIES ECONOMY BALL VALVE

A good quality, CSA approved, full port, imported ball valve with NPT end connections. Rated at 600 WOG.



DIMENSIONS

CAT. NO.	SIZE	L	D	H	W
LF0501000	1/2	2.21	.55	1.81	3.74
LF0751000	3/4	2.40	.75	2.00	4.33
LF1001000	1	2.93	.95	2.25	4.33
LF1251000	1 1/4	3.23	1.23	2.80	5.31
LF1501000	1 1/2	3.70	1.50	3.00	5.31
LF2001000	2	4.33	1.94	3.37	6.25



MATERIALS

NO.	PART NAME	LF SERIES MATERIALS
9	NUT	STEEL, ZINC PLATED
8	STEM PACKING	PTFE
7	GLAND NUT	BRASS CW617N
6	STEM	BRASS CW617N
5	HANDLE	CHROME PLATED STEEL, PLASTIC
4	SEAT	PTFE
3	BALL	BRASS C46500 CHROME PLATED
2	END CAP	BRASS C46500
1	BODY	BRASS C46500

BOSTON METAL PRODUCTS, LTD. - 25 THURBER BLVD., UNIT #3 - SMITHFIELD, RI 02917
TOLL FREE: 1-800-839-0013, TEL: 401-231-8537, FAX: 401-231-8491
WWW.BOSTONVALVE.COM

LF2000 SERIES ECONOMY BALL VALVE

A good quality, CSA approved, full port, imported ball valve with solder joint end connections. Rated at 600 WOG.



DIMENSIONS

CAT. NO.	SIZE	L	D	H	W
LF0502000	1/2	2.31	.55	1.81	3.74
LF0752000	3/4	3.00	.75	2.00	4.33
LF1002000	1	3.62	.95	2.25	4.33
LF1252000	1 1/4	4.08	1.23	2.80	5.31
LF1502000	1 1/2	4.67	1.50	3.00	5.31
LF2002000	2	5.71	1.94	3.37	6.25

MATERIALS




NO.	PART NAME	LF SERIES MATERIAL
9	NUT	STEEL, ZINC PLATED
8	STEM PACKING	PTFE
7	GLAND NUT	BRASS CW617N
6	STEM	BRASS CW617N
5	HANDLE	CHROME PLATED STEEL, PLASTIC
4	SEAT	PTFE
3	BALL	BRASS C64500, CHROME PLATED
2	END CAP	BRASS C64500
1	BODY	BRASS C64500

BOSTON METAL PRODUCTS, LTD. - 25 THURBER BLVD., UNIT #3 - SMITHFIELD, RI 02917
TOLL FREE: 1-800-839-0013, TEL: 401-231-8537, FAX: 401-231-8491
WWW.BOSTONVALVE.COM

USBD9101, USBD9101LF USBD9201, USBD9201LF SERIES


HOSE THREAD AND CAP

A two piece, full port, forged brass ball valve, with 3/4 national hose thread by female NPT or copper sweat connection. Supplied with chain attached brass cap.



DIMENSIONS

CAT. NO.	CAT. NO.	SIZE	L	D	H	W
USBD0509101	USBD0509101LF	1/2	3.13	.59	1.87	3.65
USBD0759101	USBD0759101LF	3/4	3.41	.75	2.19	4.65
USBD1009101	USBD1009101LF	1	3.67	1.00	2.32	4.65
USBD0509201	USBD0509201LF	1/2	3.06	.59	1.87	3.65
USBD0759201	USBD0759201LF	3/4	3.53	.75	2.19	4.65
USBD1009201	USBD1009201LF	1	3.81	1.00	2.32	4.65



USBD SERIES MATERIALS

NO.	PART NAME	USBD SERIES MATERIALS
14	GASKET	BUNA-N
13	CHAIN	STAINLESS STEEL
12	CAP/ COVER	BRASS
11	O-RING	BUNA-N
10	NUT	ZINC PLATED STEEL
9	LOCK WASHER	ZINC PLATED STEEL
8	STEM PACKING	PTFE
7	GLAND NUT	BRASS
6	STEM	BRASS
5	HANDLE	ZINC PLTD STEEL, PLASTICOATED
4	SEAT	PTFE
3	BALL	BRASS, CHROME PLTD.
2	END PIECE	BRASS
1	BODY	BRASS

USBD LF SERIES MATERIAL



NO.	PART NAME	MATERIAL
13	GASKET	BUNA-N
12	CHAIN	STAINLESS STEEL
11	CAP	BRASS C46400
10	O-RING	BUNA-N
9	NUT	STAINLESS STEEL, NYLON
8	STEM PACKING	PTFE
7	GLAND NUT	BRASS
6	STEM	BRASS
5	HANDLE	STEEL, ZINC PLATED, PLASTICOATED
4	SEAT	PTFE
3	BALL	304 STAINLESS STEEL
2	END CAP	BRASS C46400
1	BODY	BRASS C46400

BOSTON METAL PRODUCTS, LTD. - 25 THURBER BLVD., UNIT #3 - SMITHFIELD, RI 02917
TOLL FREE: 1-800-839-0013, TEL: 401-231-8537, FAX: 401-231-8491
WWW.BOSTONVALVE.COM

BPH537LF SERIES

HOSE THREAD AND CAP

A two piece, full port, forged brass ball valve, with 3/4 national hose thread by press joint connection. Supplied with chain attached brass cap.




DIMENSIONS

CAT. NO.	SIZE	L	D	H	W
BPH050537LF	1/2	2.75	.62	1.87	3.15
BPH075537LF	3/4	3.18	.87	2.12	4.00
BPH100537LF	1	3.50	1.12	2.31	4.00

MATERIALS

NO.	PART NAME	MATERIAL
14	GASKET	BUNA-N
13	CHAIN	STAINLESS STEEL
12	CAP	BRASS
11	O-RING	BUNA-N
10	NUT	STEEL, ZINC PLATED
9	LOCK WASHER	STEEL, ZINC PLATED
8	STEM PACKING	PTFE
7	GLAND NUT	BRASS
6	STEM	BRASS
5	HANDLE	STEEL, ZINC PLATED, PLASTICOATED
4	SEAT	PTFE
3	BALL	BRASS, HARD CHROME PLTD.
2	END CAP	BRASS
1	BODY	BRASS




PRESS. VS. TEMP. CURVE



GSCT8300 SERIES

MINI GAS SHUTOFFS

A standard port gas supply shut off with aluminum tee handle. CSA/ UL approved for 1/2 , 5 & 125 PSIG service. Certified to ASME B16.33, ANSI Z21-15, AGA 3-88, and CGA 3.16-M88, CR-91-002.



DIMENSIONS

CAT. NO.	SIZE	L	D	H	W
GSCT0508302	1/2	2.16	.47	1.55	2
GSCT0758302	3/4	2.41	.59	1.68	2
GSCT1008302	1	2.93	.79	1.82	2



MATERIALS

NO.	PART NAME	MATERIAL
11	PACKING	PTFE
10	GLAND NUT	BRASS
9	NUT	STEEL, ZINC PLATED
8	O-RING	VITON
7	O-RING	NBR
6	STEM	BRASS
5	HANDLE	ALUMINUM, PAINTED YELLOW
4	SEAT	PTFE
3	BALL	BRASS, HARD CHROME PLTD.
2	END CAP	BRASS
1	BODY	BRASS

BOSTON METAL PRODUCTS, LTD. - 25 THURBER BLVD., UNIT #3 - SMITHFIELD, RI 02917
TOLL FREE: 1-800-839-0013, TEL: 401-231-8537, FAX: 401-231-8491
WWW.BOSTONVALVE.COM

GBV SERIES FLARED GAS BALL VALVES

A 45° flare connection ball valve with CSA & UL approvals for ANSI Z21.15 / CGA 9.1, CGA CR91-002, AGA CR-3-88. Valves may be used for 1/2 & 5 PSIG.



DIMENSIONS

CAT. NO.	SIZE	L	D	H	W
GBV050-FF	1/2	2.72	.39	1.34	2
GBV050-FL	1/2	2.50	.39	1.34	2
GBV050-FM	1/2	2.50	.39	1.34	2

MATERIALS

NO.	PART NAME	MATERIAL
10	GLAND NUT	BRASS
9	SCREW	STEEL, ZINC PLATED
8	PACKING	PTFE
7	O-RING	VITON
6	STEM	BRASS
5	HANDLE	ALUMINUM
4	SEAT	PTFE
3	BALL	BRASS, HARD CHROME PLTD.
2	END CAP	BRASS
1	BODY	BRASS

BOSTON METAL PRODUCTS, LTD. - 25 THURBER BLVD., UNIT #3 - SMITHFIELD, RI 02917
TOLL FREE: 1-800-839-0013, TEL: 401-231-8537, FAX: 401-231-8491
WWW.BOSTONVALVE.COM

MBS SERIES

MINI GAS SHUTOFFS




A standard port gas supply shut off with a 1/4 inch NPT port for pressure gauge and aluminum tee handle. CSA/UL approved for 1/2, 5 & 125 PSIG service. Certified to ASME B16.33, ANSI Z21-15, AGA 3-88, and CGA 3.16-M88, CR-91-002.



MBSFL





MBSFT



DIMENSIONS

CAT. NO.	SIZE	L	D	H	W
MBS050FL	1/2	2.75	.37	1.53	1.93
MBS050FT	1/2	2.31	.37	1.40	.93
MBS075FT	3/4	2.43	.56	1.50	1.96





MATERIALS

NO.	PART NAME	MATERIAL
11	PACKING	PTFE
10	GLAND NUT	BRASS
9	NUT	STEEL, ZINC PLATED
8	O-RING	VITON
7	O-RING	NBR
6	STEM	BRASS
5	HANDLE	ALUMINUM, PAINTED YELLOW
4	SEAT	PTFE
3	BALL	BRASS, HARD CHROME PLTD.
2	END CAP	BRASS
1	BODY	BRASS

BOSTON METAL PRODUCTS, LTD. - 25 THURBER BLVD., UNIT #3 - SMITHFIELD, RI 02917
 TOLL FREE: 1-800-839-0013, TEL: 401-231-8537, FAX: 401-231-8491
 WWW.BOSTONVALVE.COM


COM100LF SERIES COMPRESSION VALVE

A high quality stop and waste, full port, forged brass ball valve with compression end connections.



DIMENSIONS

CAT. NO.	SIZE	L	D	H	W	P
COM0501000LF	1/2	2.82	.59	1.77	3.65	.625
COM0751000LF	3/4	3.23	.75	2.05	4.65	.875
COM1001000LF	1	3.75	1.00	2.14	4.65	1.125





COM100LF SERIES MATERIAL LIST

NO.	PART NAME	MATERIAL
12	O-RING	BUNA-N
11	FERRULE	BRASS
10	COMPRESSION NUT	BRASS
9	NUT	STEEL, NYLON
8	STEM PACKING	PTFE
7	GLAND NUT	BRASS
6	STEM	BRASS
5	HANDLE	ZINC PLATED STEEL, PLASTICOATED
4	SEAT	PTFE
3	BALL	BRASS, HARD CHROME PLTD.
2	END CAP	BRASS C46400
1	BODY	BRASS C46400

BOSTON METAL PRODUCTS, LTD. - 25 THURBER BLVD., UNIT #3 - SMITHFIELD, RI 02917
TOLL FREE: 1-800-839-0013, TEL: 401-231-8537, FAX: 401-231-8491
WWW.BOSTONVALVE.COM

COMD1000LF SERIES COMPRESSION VALVE

A high quality stop and waste, full port, forged brass ball valve with compression end connections.



DIMENSIONS

CAT. NO.	SIZE	L	D	H	W	P	R
COMD0501000LF	1/2	2.82	.59	1.77	3.65	.625	.90
COMD0751000LF	3/4	3.23	.75	2.05	4.65	.875	1.10

MATERIAL LIST

NO.	PART NAME	COMD1000LF SERIES MATERIAL
14	DRAIN CAP	BRASS / BUNA-N
13	O-RING	BUNA-N
12	FERRULE	BRASS
11	COMPRESSION NUT	BRASS
10	NUT	STEEL, ZINC PLATED
9	LOCK WASHER	STEEL, ZINC PLATED
8	STEM PACKING	PTFE
7	GLAND NUT	BRASS
6	STEM	BRASS
5	HANDLE	ZINC PLATED STEEL, PLASTICOATED
4	SEAT	PTFE
3	BALL	BRASS, HARD CHROME PLTD.
2	END CAP	BRASS
1	BODY	BRASS


BOSTON METAL PRODUCTS, LTD. - 25 THURBER BLVD., UNIT #3 - SMITHFIELD, RI 02917
TOLL FREE: 1-800-839-0013, TEL: 401-231-8537, FAX: 401-231-8491
WWW.BOSTONVALVE.COM

B-PRESS537LF, B-PRESS XLC SERIES FORGED LEAD FREE BRASS BALL VALVE

A full port, quarter turn ball valve. Ready for cold press installation. no fitting required. no welding, soldering or brazing required. Sizes 1/2" to 4".



1/2" TO 2" STANDARD





DIMENSIONS


CAT. NO.	SIZE	L	H	W	D
BP050537LF	1/2	3.07	2.05	3.66	.59
BP075537LF	3/4	3.62	2.20	3.66	.81
BP100537LF	1	3.86	2.64	4.41	.99
BP125537LF	1 1/4	4.30	2.76	4.41	1.18
BP150537LF	1 1/2	5.12	3.07	5.63	1.45
BP200537LF	2	5.99	3.39	5.63	1.88
BP250537LF	2 1/2	8.74	4.69	11.07	2.55
BP300537LF	3	9.45	5.14	11.07	3.07
BP400537LF	4	10.12	5.64	11.07	3.94

MATERIAL LIST

NO.	PART NAME	MATERIALS
11	O-RING	EPDM
10	NUT	ZINC PLATED STEEL
9	LOCK WASHER	ZINC PLATED STEEL
8	STEM PACKING	PTFE
7	GLAND NUT	BRASS
6	STEM	BRASS
5	HANDLE	ZINC PLATED STEEL, PLASTICOATED
4	SEAT	PTFE
3	BALL	BRASS, CHROME PLATED, EN 12164
2	END CAP	HOT FORGED BRASS EN 12165-CW602N
1	BODY	HOT FORGED BRASS EN 12165-CW602N



XLC 2 1/2" TO 4"



DIMENSIONS

CAT. NO.	SIZE	L	D	H	W	F
BP250XLCLF	2 1/2	7.03	2.52	4.55	9.05	1.85
BP300XLCLF	3	8.19	2.95	4.89	9.05	2.16
BP400XLCLF	4	9.90	3.90	5.59	9.05	2.52

MATERIAL LIST



NO.	PART NAME	MATERIAL
11	LOCKING RING	304 SST
10	O-RING	EPDM
9	LOCK NUT	304 SST
8	STEM PACKING	PTFE
7	GLAND NUT	BRASS, HPb59-3
6	STEM	BRASS, HPb59-3
5	HANDLE	ZINC PLATED STEEL, PLASTICOATED
4	SEAT	PTFE
3	BALL	304 SST
2	END CAP	FORGED LEAD FREE BRASS, C46500
1	BODY	FORGED LEAD FREE BRASS, C46500

BOSTON METAL PRODUCTS, LTD. - 25 THURBER BLVD., UNIT #3 - SMITHFIELD, RI 02917
TOLL FREE: 1-800-839-0013, TEL: 401-231-8537, FAX: 401-231-8491
WWW.BOSTONVALVE.COM

BPD537LF SERIES

FORGED LEAD FREE BRASS BALL VALVE WITH DRAIN


A full port, quarter turn ball valve with drain.
 Ready for cold press installation. no fitting required.
 no welding, soldering or brazing required. Sizes 1/2", 3/4 and 1".



DIMENSIONS

CAT. NO.	SIZE	L	D	H	W	F
BPD050537LF	1/2	3.43	.62	2.00	3.50	.90
BPD075537LF	3/4	3.75	.87	2.25	4.00	1.062
BPD100537LF	1	4.18	1.12	2.25	4.18	1.062

MATERIAL LIST





NO.	PART NAME	MATERIAL
11	DRAIN CAP	BRASS
10	O-RING	EPDM
9	LOCK NUT	304 SST
8	STEM PACKING	PTFE
7	GLAND NUT	BRASS, HPb59-3
6	STEM	BRASS, HPb59-3
5	HANDLE	ZINC PLATED STEEL, PLASTICOATED
4	SEAT	PTFE
3	BALL	304 SST
2	END CAP	FORGED BRASS, C46500
1	BODY	FORGED BRASS, C46500

BOSTON METAL PRODUCTS, LTD. - 25 THURBER BLVD., UNIT #3 - SMITHFIELD, RI 02917
 TOLL FREE: 1-800-839-0013, TEL: 401-231-8537, FAX: 401-231-8491
 WWW.BOSTONVALVE.COM

BPT537LF SERIES

FORGED LEAD FREE BRASS BALL VALVE

A full port, quarter turn ball valve. Ready for cold press installation. Press end and female NPT end.




DIMENSIONS

CAT. NO.	SIZE	L	D	H	W
BPT050537LF	1/2	2.5	.51	1.87	3.12
BPT075537LF	3/4	3.87	.71	2.20	4.00
BPT100537LF	1	3.25	1.96	2.62	3.93

MATERIAL LIST

NO.	PART NAME	MATERIALS
11	O-RING	BUNA-N
10	NUT	ZINC PLATED STEEL
9	LOCK WASHER	ZINC PLATED STEEL
8	STEM PACKING	PTFE
7	GLAND NUT	BRASS
6	STEM	BRASS
5	HANDLE	ZINC PLATED STEEL, PLASTICOATED
4	SEAT	PTFE
3	BALL	BRASS, HARD CHROME PLATE
2	END CAP	BRASS
1	BODY	BRASS


PRESS. VS. TEMP. CURVE




BOSTON METAL PRODUCTS, LTD. - 25 THURBER BLVD., UNIT #3 - SMITHFIELD, RI 02917
 TOLL FREE: 1-800-839-0013, TEL: 401-231-8537, FAX: 401-231-8491
 WWW.BOSTONVALVE.COM

BMS0001LF SERIES FORGED BRASS BALL VALVE

A male NPT by solder sweat ball valve. Typically used as a circulator or water filter shut off. Certified lead free.




PRESS. VS. TEMP. CURVE



DIMENSIONS

CAT. NO.	SIZE	L	D	H	W
BMS0500001LF	1/2	2.20	.59	1.77	3.65
BMS0750001LF	3/4	2.79	.75	2.05	4.65
BMS1000001LF	1	3.37	1.00	2.14	4.65





BMS0001LF SERIES MATERIAL LIST

NO.	PART NAME	MATERIAL
9	NUT	STEEL, ZINC PLATED, NYLON
8	STEM PACKING	PTFE
7	GLAND NUT	BRASS
6	STEM	BRASS
5	HANDLE	STEEL, ZINC PLATED, PLASTICOATED
4	SEAT	PTFE
3	BALL	BRASS, HARD CHROME PLATED
2	END CAP	BRASS C46400
1	BODY	BRASS C46400

BOSTON METAL PRODUCTS, LTD. - 25 THURBER BLVD., UNIT #3 - SMITHFIELD, RI 02917
TOLL FREE: 1-800-839-0013, TEL: 401-231-8537, FAX: 401-231-8491
WWW.BOSTONVALVE.COM

BMF1000 & BMF1000LF SERIES FORGED BRASS BALL VALVE


A high quality, full port, 600WOG rated, forged brass ball valve with male by female NPT end connections.



DIMENSIONS

CAT. NO.	CAT. NO.	SIZE	L	D	H	W
BMF0501000	BMF0501000LF	1/2	2.16	.59	1.77	3.65
BMF0751000	BMF0751000LF	3/4	2.52	.75	2.05	4.65
BMF1001000	BMF1001000LF	1	3.05	1.00	2.14	4.65

PRESS. VS. TEMP. CURVE



MATERIAL LIST



NO.	PART NAME	BMF SERIES MATERIAL	BMFLF SERIES MATERIAL
10	NUT	STEEL, ZINC PLATED	STEEL, ZINC PLATED
9	LOCK WASHER	STEEL, ZINC PLATED	STEEL, ZINC PLATED
8	STEM PACKING	PTFE	PTFE
7	GLAND NUT	BRASS	BRASS
6	STEM	BRASS	BRASS
5	HANDLE	STEEL, ZINC PLATED, PLASTICOATED	STEEL, ZINC PLATED, PLASTICOATED
4	SEAT	PTFE	PTFE
3	BALL	BRASS, HARD CHROME PLATED	BRASS, HARD CHROME PLATED
2	END CAP	BRASS	BRASS
1	BODY	BRASS	BRASS

BOSTON METAL PRODUCTS, LTD. - 25 THURBER BLVD., UNIT #3 - SMITHFIELD, RI 02917
TOLL FREE: 1-800-839-0013, TEL: 401-231-8537, FAX: 401-231-8491
WWW.BOSTONVALVE.COM

USA9291LF SERIES

SOLDER BY FEMALE NPT ENDS


A forged brass quarter turn valve, 600 WOG/150 WSP rated, two piece, full port, with solder joint body and NPT end piece.



DIMENSIONS

CAT. NO.	SIZE	L	D	H	W
USA0509291LF	1/2	2.14	.59	1.77	3.65
USA0759291LF	3/4	2.54	.75	2.05	4.65
USA1009291LF	1	3.00	1.00	2.14	4.65

PRESS. VS. TEMP. CURVE





MATERIAL LIST

NO.	PART NAME	USA9291LF SERIES MATERIAL
11	O-RING	BUNA-N
10	NUT	STEEL, ZINC PLATED
9	LOCK WASHER	STEEL, ZINC PLATED
8	STEM PACKING	PTFE
7	GLAND NUT	BRASS
6	STEM	BRASS
5	HANDLE	ZINC PLATED STEEL, PLASTICOATED
4	SEAT	PTFE
3	BALL	BRASS, HARD CHROME PLATED
2	END CAP	BRASS
1	BODY	BRASS

BOSTON METAL PRODUCTS, LTD. - 25 THURBER BLVD., UNIT #3 - SMITHFIELD, RI 02917
 TOLL FREE: 1-800-839-0013, TEL: 401-231-8537, FAX: 401-231-8491
 WWW.BOSTONVALVE.COM

USAV7101SERIES FORGED BRASS BALL VALVE


A high quality, full port, 600WOG rated, forged brass ball valve with male by female NPT end connectors.



DIMENSIONS

CAT. NO.	SIZE	L	D	H	W
USAV0507101	1/2	2.25	.59	1.77	3.65
USAV0757101	3/4	2.52	.75	2.05	4.65
USAV1007101	1	3.00	1.00	2.14	4.65
USAV1257101	1 1/4	3.44	1.25	2.84	5.62
USAV1507101	1 1/2	3.85	1.57	2.87	5.62
USAV2007101	2	4.30	1.97	3.23	5.62

PRESS. VS. TEMP. CURVE



MATERIAL LIST



NO.	PART NAME	MATERIAL
11	O-RING	BUNA-N
10	NUT	ZINC PLATED STEEL
9	LOCK WASHER	STEEL, ZINC PLATED
8	STEM PACKING	PTFE
7	GLAND NUT	BRASS
6	STEM	BRASS
5	HANDLE	STEEL, ZINC PLATED, PLASTICOATED
4	SEAT	PTFE
3	BALL	BRASS, HARD CHROME PLATED
2	END CAP	BRASS
1	BODY	BRASS

BOSTON METAL PRODUCTS, LTD. - 25 THURBER BLVD., UNIT #3 - SMITHFIELD, RI 02917
TOLL FREE: 1-800-839-0013, TEL: 401-231-8537, FAX: 401-231-8491
WWW.BOSTONVALVE.COM

CR1000 PT PORT SERIES FORGED BRASS BALL VALVE




A high quality, full port, 600WOG rated, forged brass ball valve with a 1/4 inch NPT port for pressure or temperature taps. Ideal for heating system balancing.



DIMENSIONS

CAT. NO.	SIZE	L	D	H	R	W
CR0501000	1/2	2.48	.59	1.89	.76	3.65
CR0751000	3/4	2.69	.75	2.11	.77	4.65
CR1001000	1	3.15	1.00	2.45	.84	4.65
CR1251000	1 1/4	3.65	1.02	2.53	.92	5.62
CR1501000	1 1/2	4.09	1.57	2.80	.94	5.62
CR2001000	2	4.47	1.97	3.13	.95	5.62



MATERIAL LIST


NO.	PART NAME	MATERIALS
11	O-RING	BUNA-N
10	NUT	ZINC PLATED STEEL
9	LOCK WASHER	ZINC PLATED STEEL
8	STEM PACKING	PTFE
7	GLAND NUT	BRASS
6	STEM	BRASS
5	HANDLE	ZINC PLATED STEEL, PLASTICOATED
4	SEAT	PTFE
3	BALL	BRASS, HARD CHROME PLATE
2	END CAP	BRASS
1	BODY	BRASS

BOSTON METAL PRODUCTS, LTD. - 25 THURBER BLVD., UNIT #3 - SMITHFIELD, RI 02917
TOLL FREE: 1-800-839-0013, TEL: 401-231-8537, FAX: 401-231-8491
WWW.BOSTONVALVE.COM

BPF930LF SERIES

PUSH FIT BALL VALVE

A full port, push fitting, forged brass ball valve that connects to copper, CPVC or Pex piping. Ideal for plumbing, water and hydronic heating systems. In accordance with ASTM F-876 & F-877, ASTM D2846/2846M and ASTM B88.



DIMENSIONS

CAT. NO.	SIZE	L	D	H	W
BPF050930LF	1/2	2.97	.62	1.69	3.52
BPF075930LF	3/4	3.44	.86	1.88	4.40
BPF100930LF	1	4.17	1.12	2.24	4.40



MATERIAL LIST

NO.	PART NAME	MATERIALS
15	BODY	BRASS C46500
14	INSERT	POM
13	SEAL RING	PTFE
12	BALL	BRASS, CHROME PLTD.
11	O-RING	BRASS
10	HOUSING	POM
9	RING	POM
8	SPRING	STAINLESS STEEL 316L
7	CAP	POM
6	BONNET	BRASS C46500
5	PACKING	PTFE
4	STEM	BRASS C46500
3	HEX NUT	BRASS HPb59-1
2	HANDLE	ZINK PLATED STEEL, PLASCICOATED
1	LEVER NUT	ZINK PLATED STEEL

PX001LF SERIES

PEX BALL VALVE

A quality, quarter turn, forged brass Pex valve meeting ASTM F1807 requirements. Certified lead free.



DIMENSIONS

CAT. NO.	DESCRIPTION	SIZE	L	D	H	W
MPX0500001LF	MALE NPT	1/2	2.28	.35	1.66	3.35
MPX0750001LF	BY PEX	3/4	2.70	.53	1.87	3.35
MPX1000001LF		1	3.44	.71	2.35	4.35
SPX0500001LF	SOLDER	1/2	2.45	.35	1.66	3.35
SPX0750001LF	BY PEX	3/4	2.94	.53	1.87	3.35
PPX0500001LF		1/2	2.50	.35	1.66	3.35
PPX0750001LF	PEX BY PEX	3/4	3.00	.53	1.87	3.35
PPX1000001LF		1	3.17	.71	2.35	4.35
PPXD0500001LF	PEX BY PEX	1/2	2.64	.35	1.66	3.35
PPXD0750001LF	WITH DRAIN	3/4	2.90	.53	1.87	3.35

MATERIALS


NO.	PART NAME	MATERIAL
11	O-RING	BUNA-N
10	NUT	STEEL, ZINC PLATED
8	STEM PACKING	PTFE
7	GLAND NUT	BRASS
6	STEM	BRASS
5	LEVER HANDLE	STEEL, ZINC PLATED, PLASTICOATED
5	TEE HANDLE	DIE CAST ALUMN, (OPTION)
4	SEAT	PTFE
3	BALL	BRASS, HARD CHROME PLATE
2	END CAP	BRASS C46400
1	BODY	BRASS C46400

PXBLF SERIES

PEX BALL VALVE

WITH MOUNTING BRACKET

A quality, quarter turn, forged brass Pex valve with mounting bracket meeting ASTM F1807 requirements. Certified lead free.



DIMENSIONS


CAT. NO.	SIZE	L	D	H	W
PPXB0500001LF	1/2	2.43	.43	1.21	3.59
PPXB0750001LF	3/4	2.68	.68	1.37	3.62

MATERIALS


NO.	PART NAME	MATERIAL
11	O-RING	BUNA-N
10	NUT	STEEL, ZINC PLATED
8	STEM PACKING	PTFE
7	GLAND NUT	BRASS
6	STEM	BRASS
5	LEVER HANDLE	STEEL, ZINC PLATED, PLASTICOATED
5	TEE HANDLE	DIE CAST ALUMN, (OPTION)
4	SEAT	PTFE
3	BALL	BRASS, HARD CHROME PLATE
2	END CAP	BRASS C46400
1	BODY	BRASS C46400

F1960LF SERIES EXPANSION STYLE PEX BALL VALVE


A quality, quarter turn, forged brass Pex valve meeting ASTM F1807 requirements. Certified lead free.




WSPXLF




WPXLF




WPXDLF



WFW22109LF



WFW22209LF



DIMENSIONS


CAT. NO.	DESCRIPTION	SIZE	L	D	H	W
WSPX0500001LF	COPPER BY PEX	1/2	2.58	.59	1.82	3.37
WSPX0750001LF		3/4	3.25	.72	2.11	4.37
WSPX1000001LF		1	3.95	.96	2.43	4.44
WPXD0500001LF	PEX BY PEX WITH DRAIN	1/2	2.83	.30	1.74	3.47
WPXD0750001LF		3/4	3.44	.49	1.85	3.46
WPXD1000001LF		1	4.19	.72	2.22	4.45
WPX0500001LF	PEX BY PEX	1/2	3.00	.30	1.74	3.47
WPX0750001LF		3/4	3.16	.49	1.85	3.46
WPX1000001LF		1	3.96	.72	2.22	4.45
WFW22109LF	COPPER BY PEX ANGLE	3/4	2.28	.30	1.07	2.29
WFW22209LF		3/4	2.26	.30	1.58	1.07

MATERIALS

NO.	PART NAME	MATERIAL
11	O-RING	BUNA-N
10	NUT	STEEL, ZINC PLATED
8	STEM PACKING	PTFE
7	GLAND NUT	BRASS
6	STEM	BRASS
5	LEVER HANDLE	STEEL, ZINC PLATED, PLASTICOATED
5	TEE HANDLE	DIE CAST ALUMN, (OPTION)
4	SEAT	PTFE
3	BALL	BRASS, HARD CHROME PLATE
2	END CAP	BRASS C46400
1	BODY	BRASS C46400

STW0002LF SERIES STOP & WASTE VALVE

A quality quarter turn brass valve with solder joint ends, aluminum wing style T handle, and double O-ring stem seal



DIMENSIONS

CAT. NO.	SIZE	L	D	H	R	W
STW0500002LF	1/2"	2.10	.38	1.72	.65	1.15
STW0750002LF	3/4"	2.63	.51	1.53	.84	1.15


MATERIALS

NO.	PART NAME	MATERIALS
12	PACKING	PTFE
11	GLAND NUT	BRASS
10	DRAIN CAP SEAL	BUNA
9	DRAIN CAP	BRASS
8	SCREW	STEEL
7	O-RING	BUNA
6	STEM	BRASS
5	HANDLE	ALUMINUM
4	SEAT	PTFE
3	BALL	BRASS, CHROME PLATED
2	END CAP	BRASS
1	BODY	BRASS


MBV018 SERIES 1/8 INCH

BRASS BALL VALVE

A quality, quarter turn, miniature brass ball valve, available in female by female and male by female



MBV018MF



MBV018FF



MATERIALS

NO.	PART NAME	MATERIALS
9	LOCK NUT	STEEL, CHROME PLATED / NYLON
8	SEAT	PTFE
7	THRUST WASHER	PTFE
6	O-RING	NITRIL
5	HANDLE	STEEL, ZINC PLATED, PLASTICOATED
4	STEM	BRASS
3	BALL	BRASS, CHROME PLATED.
2	FLANGED CAP	BRASS, CHROME PLATED
1	BODY	BRASS, CHROME PLATED


BRI14 SERIES 1/4 INCH

BRASS BALL VALVE


A quality, compact, quarter turn brass ball valve. Available in female, female by male NPT or female NPT by compression.




BRI14FC




BRI1438FC



BRI14FIP



BRI14MF




CAT. NO.
BRI1438FC
BRI14FC
BRI14FIP
BRI14MF

MATERIALS

NO.	PART NAME	MATERIAL
8	SEAT	PTFE
7	NUT	STEEL, ZINC PLATE
6	O-RING	BUTYL
5	HANDLE	STEEL, ZINC PLATED, PLASTICOATED
4	STEM	BRASS
3	BALL	BRASS CHROME, PLATED
2	END CAP	BRASS
1	BODY	BRASS


BTD0002LF SERIES ***MALE NPT BY HOSE DRAINS***

A brass quarter turn drain valve with NPT inlet and national hose thread outlet.



DIMENSIONS

CAT. NO.	D	L	E	H	W
BTD0500002LF	1/2	3.12	.52	1.60	2.06
BTD0750002LF	3/4	3.06	.57	1.60	2.06



MATERIAL LIST


NO.	PART NAME	BTDLF SERIES MATERIALS
8	O-RING	BUTYL
7	LOCKING NUT	STEEL, ZINC PLATED, NYLON
6	STEM	BRASS
5	HANDLE	ALUMINUM, ENAMELED
4	SEAT	PTFE
3	BALL	BRASS, HARD CHROME PLTD.
2	BODY	BRASS C46400
1	END CAP	BRASS C46400

BOSTON METAL PRODUCTS, LTD. - 25 THURBER BLVD., UNIT #3 - SMITHFIELD, RI 02917
TOLL FREE: 1-800-839-0013, TEL: 401-231-8537, FAX: 401-231-8491
WWW.BOSTONVALVE.COM


PSCLF, TSCLF & SSCLF SERIES CHROME 1/2 INCH SILLCOCKS




A quality quarter turn brass valve with solder joint ends, aluminum wing style T handle, and double O-ring stem seal




PSC0501000LF




SSC0501000LF



TSC0501000LF



CAT. NO.
PSC0501000LF
SSC0501000LF
TSC0501000LF



MOUNTING


MATERIALS

NO.	PART NAME	PSCLF, TSCLF & SSCLF SERIES MATERIALS
10	NUT	STEEL, ZINC PLATED
9	STEM PACKING	PTFE
8	SEAT	PTFE
7	LOCK WASHER	STEEL, ZINC PLATED
6	GLAND NUT	BRASS
5	HANDLE	STEEL, ZINC PLATED, PLASTICOATED
4	STEM	BRASS
3	BALL	BRASS46400, CHROME PLATED
2	FLANGED CAP	BRASS46400, CHROME PLATED
1	BODY	BRASS46400, CHROME PLATED



BOSTON METAL PRODUCTS, LTD. - 25 THURBER BLVD., UNIT #3 - SMITHFIELD, RI 02917
TOLL FREE: 1-800-839-0013, TEL: 401-231-8537, FAX: 401-231-8491
WWW.BOSTONVALVE.COM

PV1000, 2000 & 3000 SERIES PURGE BALL VALVE


A 600 WOG rated, two piece, full port, brass ball valve with 1/2" NPT purge port.



PV1000



PV2000



PV3000

DIMENSIONS

CAT. NO.	SIZE	L	D	H	R	W
PV0751000	3/4	3.35	.75	2.17	1.08	4.65
PV1001000	1	3.78	.97	2.28	1.18	4.65
PV0752000	3/4	3.30	.75	2.17	1.08	4.65
PV1002000	1	3.78	.97	2.28	1.18	4.65
PV0753000	3/4	3.15	.75	2.17	1.08	4.65
PV1003000	1	3.59	.97	2.28	1.18	4.65



MATERIALS

NO.	PART NAME	MATERIAL
11	O-RING	BUNA-N
10	NUT	STEEL, ZINC PLATED
9	LOCK WASHER	STEEL, ZINC PLATED
8	STEM PACKING	PTFE
7	GLAND NUT	BRASS
6	STEM	BRASS
5	HANDLE	STEEL, ZINC PLATED, PLASTICOATED
4	SEAT	PTFE
3	BALL	BRASS, HARD CHROME PLATE
2	END CAP	BRASS
1	BODY	BRASS

BOSTON METAL PRODUCTS, LTD. - 25 THURBER BLVD., UNIT #3 - SMITHFIELD, RI 02917
TOLL FREE: 1-800-839-0013, TEL: 401-231-8537, FAX: 401-231-8491
WWW.BOSTONVALVE.COM


FPV2000 SERIES FLANGED CIRCULATOR PURGE VALVE

A flanged by NPT, quarter turn purge valve with 1/2" NPT purge port. Used for circulator pump isolation.



DIMENSIONS

CAT. NO.	SIZE	L	D	H	W
FPV0752000	3/4	3.16	.75	2.34	4.65
FPV1002000	1	3.41	1	2.52	4.65
FPV1252000	1 1/4	3.89	1.25	2.53	5.80





MATERIALS

NO	PART NAME	MATERIAL
13	WASHER	BUNA-N
12	O-RING	BUNA-N
11	FLANGE	STEEL, ZINC PLATED
10	NUT	STEEL, ZINC PLATED
9	LOCK WASHER	STEEL, ZINC PLATED
8	STEM PACKING	PTFE
7	GLAND NUT	BRASS
6	STEM	BRASS
5	HANDLE	STEEL, ZINC PLATED ,PLASTICOATED
4	SEAT	PTFE
3	BALL	BRASS, HARD CHROME PLTD.
2	END CAP	BRASS
1	BODY	BRASS

BOSTON METAL PRODUCTS, LTD. - 25 THURBER BLVD., UNIT #3 - SMITHFIELD, RI 02917
TOLL FREE: 1-800-839-0013, TEL: 401-231-8537, FAX: 401-231-8491
WWW.BOSTONVALVE.COM

FLG1000 SERIES FLANGED CIRCULATOR VALVE

A flanged by NPT, quarter turn, brass ball valve. Used for circulator pump isolation.



DIMENSIONS

CAT. NO.	SIZE	L	D	H	W
FLG0751000	3/4	2.19	.75	2.34	4.65
FLG1001000	1	2.62	1	2.52	4.65
FLG1251000	1 1/4	2.98	1.25	2.53	5.80




MATERIALS

NO	PART NAME	MATERIAL
13	WASHER	BUNA-N
12	O-RING	BUNA-N
11	FLANGE	STEEL, ZINC PLATED
10	NUT	STEEL, ZINC PLATED
9	LOCK WASHER	STEEL, ZINC PLATED
8	STEM PACKING	PTFE
7	GLAND NUT	BRASS
6	STEM	BRASS
5	HANDLE	STEEL, ZINC PLATED ,PLASTICOATED
4	SEAT	PTFE
3	BALL	BRASS, HARD CHROME PLTD.
2	END CAP	BRASS
1	BODY	BRASS

BOSTON METAL PRODUCTS, LTD. - 25 THURBER BLVD., UNIT #3 - SMITHFIELD, RI 02917
TOLL FREE: 1-800-839-0013, TEL: 401-231-8537, FAX: 401-231-8491
WWW.BOSTONVALVE.COM

FLG2000 SERIES FLANGED CIRCULATOR VALVE

A flanged by sweat, quarter turn, brass ball valve. Used for circulator pump isolation.



DIMENSIONS

CAT. NO.	SIZE	L	D	H	W
FLG0752000	3/4	2.35	.75	2.34	4.65
FLG1002000	1	2.80	1	2.52	4.65
FLG1252000	1 1/4	3.39	1.25	2.53	5.80


MATERIALS

NO	PART NAME	MATERIAL
13	WASHER	BUNA-N
12	O-RING	BUNA-N
11	FLANGE	STEEL, ZINC PLATED
10	NUT	STEEL, ZINC PLATED
9	LOCK WASHER	STEEL, ZINC PLATED
8	STEM PACKING	PTFE
7	GLAND NUT	BRASS
6	STEM	BRASS
5	HANDLE	STEEL, ZINC PLATED ,PLASTICOATED
4	SEAT	PTFE
3	BALL	BRASS, HARD CHROME PLTD.
2	END CAP	BRASS
1	BODY	BRASS

BOSTON METAL PRODUCTS, LTD. - 25 THURBER BLVD., UNIT #3 - SMITHFIELD, RI 02917
TOLL FREE: 1-800-839-0013, TEL: 401-231-8537, FAX: 401-231-8491
WWW.BOSTONVALVE.COM


FPS1000-FPS2000 SERIES FLANGED CIRCULATOR PURGE VALVE

A flanged by NPT or copper, circulator isolation valve with 3/4" hose connection and purge stop valve.



DIMENSIONS



CAT. NO.	SIZE	L	D	H	W
FPS0751000	3/4	3.00	.75	2.10	3.62
FPS1001000	1	3.50	1.00	2.46	4.33
FPS1251000	1 1/4	3.75	1.20	3.05	5.11
FPS0752000	3/4	3.00	.75	2.10	3.62
FPS1002000	1	3.50	1.00	2.46	4.33
FPS1252000	1 1/4	4.00	1.20	3.05	5.11



FLANGE BOLT PATTERN

MATERIALS

NO	PART NAME	MATERIAL
19	O-RING	BUNA-N
18	DRAIN VALVE STEM	BRASS, C36000
17	BALL RETAINER	BRASS, C36000
16	DRAIN VALVE CAP	BRASS, C37700
15	GASKET	BUNA-N
14	DRAIN VALVE SEAT	PTFE
13	DRAIN VALVE BALL	BRASS, CHROME PLTD.
12	DRAIN VALVE BODY	BRASS, C37700
11	O-RING	BUNA-N
10	NUT	STEEL, ZINC PLATED
9	FLANGE	BRASS
8	STEM PACKING	PTFE
7	GLAND NUT	BRASS, C36000
6	STEM	BRASS, C36000
5	HANDLE	STEEL, ZINC PLATED ,PLASTICOATED
4	SEAT	PTFE
3	BALL	BRASS, CHROME PLTD.
2	END CAP	BRASS, C37700
1	BODY	BRASS, C37700




STEM DETAIL

BOSTON METAL PRODUCTS, LTD. - 25 THURBER BLVD., UNIT #3 - SMITHFIELD, RI 02917
TOLL FREE: 1-800-839-0013, TEL: 401-231-8537, FAX: 401-231-8491
WWW.BOSTONVALVE.COM

FLG537 SERIES FLANGED CIRCULATOR VALVE

A flanged by NPT or copper, circulator isolation valve with 3/4" hose connection and purge stop valve.



MATERIAL LIST



NO.	PART NAME	MATERIALS
10	FLANGE	C37700
9	HANDLE NUT	CARBON STEEL
8	HANDLE	CARBON STEEL
7	STEM PACKING	PTFE
6	O-RING	EPDM
5	STEM	C37700
4	SEAT	PTFE
3	BALL	C37700
2	BONNET	C37700
1	BODY	C37700

DIMENSIONS

CAT. NO.	D	L	H	B
FLG075537	3.31	3.03	1.63	.75
FLG100537	3.31	3.20	1.78	.96
FLG125537	4.13	3.54	2.36	1.22


FPS537 SERIES FLANGED CIRCULATOR PURGE VALVE

A flanged by NPT or copper, circulator isolation valve with 3/4" hose connection and purge stop valve.



MATERIAL LIST

NO.	PART NAME	MATERIALS
11	DRAIN VALVE	C37700
10	FLANGE	C37700
9	HANDLE NUT	CARBON STEEL
8	HANDLE	CARBON STEEL
7	STEM PACKING	PTFE
6	O-RING	EPDM
5	STEM	C37700
4	SEAT	PTFE
3	BALL	C37700
2	BONNET	C37700
1	BODY	C37700





DIMENSIONS

CAT. NO.	D	L	H	B
FPS075537	3.31	3.52	1.63	.75
FPS100537	3.31	3.78	1.78	.94
FPS125537	4.13	4.06	2.36	1.22

GV3100 - GV3100LF SERIES NPT GATE VALVE

A high quality, full port, non rising stem, wedge disk, cast brass gate valve. Rated at 200 WOG.




DIMENSIONS

CAT. NO.	CAT. NO.	SIZE	L	D	H	W
GV0503100LF	GV0503100	1/2	1.69	.50	2.74	2.08
GV0753100LF	GV0753100	3/4	1.81	.66	2.95	2.08
GV1003100LF	GV1003100	1	2.04	.82	3.32	2.36
GV1253100LF	GV1253100	1 1/4	2.55	1.06	3.89	2.83
GV1503100LF	GV1503100	1 1/2	2.59	1.33	4.31	2.83
GV2003100LF	GV2003100	2	3.24	1.77	5.13	3.14
GV2503100LF	GV2503100	2 1/2	3.46	2.20	6.41	3.93
GV3003100LF	GV3003100	3	3.62	2.67	7.44	4.25
GV4003100LF	GV4003100	4	4.33	3.54	9.15	5.03

MATERIAL LIST



NO.	PART NAME	GV MATERIAL	GVLF MATERIAL
11	WASHER	PTFE	PTFE
10	LOCK NUT	BRASS (ASTM-UNS B16 C36000)	BRASS HPb58-2
9	GLAND RING	BRASS (ASTM-UNS B16 C36000)	BRASS HPb58-2
8	NUT	STEEL (SAE 1010R)	304 SST
7	PACKING	PTFE	PTFE
6	HANDWHEEL	CAST IRON	CAST IRON
5	PACKING NUT	BRASS (ASTM-UNS B16 C36000)	BRASS HPb58-2
4	STEM	BRASS (1/2" to 2" (ASTM-UNS B16 C36000) 2 1/2" to 4" (ASTM-UNS B584 C85710))	BRASS C46500
3	DISC	BRASS (ASTM-UNS B584 C85710)	BRASS C46500
2	BONNET	BRASS (ASTM-UNS B584 C85710)	BRASS C46500
1	BODY	BRASS (ASTM-UNS B584 C85710)	BRASS C46500



BOSTON METAL PRODUCTS, LTD. - 25 THURBER BLVD., UNIT #3 - SMITHFIELD, RI 02917
TOLL FREE: 1-800-839-0013, TEL: 401-231-8537, FAX: 401-231-8491
WWW.BOSTONVALVE.COM

GV3200 - GV3200LF SERIES NPT GATE VALVE

A high quality, full port, non rising stem, wedge disk, cast brass gate valve. Rated at 200 WOG.




DIMENSIONS

CAT. NO.	CAT. NO.	SIZE	L	D	H	W
GV0503200	GV0503200	1/2	1.69	.50	2.74	2.08
GV0753200	GV0753200	3/4	1.81	.66	2.95	2.08
GV1003200	GV1003200	1	2.04	.82	3.32	2.36
GV1253200	GV1253200	1 1/4	2.55	1.06	3.89	2.83
GV1503200	GV1503200	1 1/2	2.59	1.33	4.31	2.83
GV2003200	GV2003200	2	3.24	1.77	5.13	3.14

MATERIAL LIST



NO.	PART NAME	GV MATERIAL	GVLF MATERIAL
11	WASHER	PTFE	PTFE
10	LOCK NUT	BRASS (ASTM-UNS B16 C36000)	BRASS HPb58-2
9	GLAND RING	BRASS (ASTM-UNS B16 C36000)	BRASS HPb58-2
8	NUT	STEEL (SAE 1010R)	304 SST
7	PACKING	PTFE	PTFE
6	HANDWHEEL	CAST IRON	CAST IRON
5	PACKING NUT	BRASS (ASTM-UNS B16 C36000)	BRASS HPb58-2
4	STEM	BRASS 1/2" to 2" (ASTM-UNS B16 C36000) 2 1/2" to 4" (ASTM-UNS B584 C85710)	BRASS C46500
3	DISC	BRASS (ASTM-UNS B584 C85710)	BRASS C46500
2	BONNET	BRASS (ASTM-UNS B584 C85710)	BRASS C46500
1	BODY	BRASS (ASTM-UNS B584 C85710)	BRASS C46500



BOSTON METAL PRODUCTS, LTD. - 25 THURBER BLVD., UNIT #3 - SMITHFIELD, RI 02917
TOLL FREE: 1-800-839-0013, TEL: 401-231-8537, FAX: 401-231-8491
WWW.BOSTONVALVE.COM

CHV4100 - CHV4100LF SERIES NPT SWING CHECK VALVE

A high quality, cast brass, straight pattern, swing check valve with screw cap and metal disk. Rated at 200 WOG.



DIMENSIONS

CAT. NO.	CAT. NO.	SIZE	L	D	H
CHV0504100	CHV0504100LF	1/2	1.81	.51	1.33
CHV0754100	CHV0754100LF	3/4	2.20	.70	1.47
CHV1004100	CHV1004100LF	1	2.48	.86	1.75
CHV1254100	CHV1254100LF	1 1/4	2.65	1.14	1.96
CHV1504100	CHV1504100LF	1 1/2	3.22	1.29	2.22
CHV2004100	CHV2004100LF	2	3.70	1.65	2.53
CHV2504100	CHV2504100LF	2 1/2	4.17	1.96	2.99
CHV3004100	CHV3004100LF	3	4.98	2.44	3.22
CHV4004100	CHV4004100LF	4	6.25	3.26	4.05



MATERIAL LIST

NO.	PART NAME	CHV MATERIAL	CHVLF MATERIAL
5	LOCK BOLT	BRASS (ASTM-UNS B16 C36000)	BRASS C46500
4	PIN	BRASS (ASTM-UNS B124 C37700)	BRASS C46500
3	DISC	BRASS (ASTM-UNS B584 C85710)	BRASS C46500
2	CAP	BRASS (ASTM-UNS B584 C85710)	BRASS C46500
1	BODY	BRASS (ASTM-UNS B584 C85710)	BRASS C46500

BOSTON METAL PRODUCTS, LTD. - 25 THURBER BLVD., UNIT #3 - SMITHFIELD, RI 02917
TOLL FREE: 1-800-839-0013, TEL: 401-231-8537, FAX: 401-231-8491
WWW.BOSTONVALVE.COM

CHV4200 - CHV4200LF SERIES SOLDER SWING CHECK VALVE

A high quality, cast brass, straight pattern, swing check valve with screw cap and metal disk. Rated at 200 WOG.



DIMENSIONS

CAT. NO.	CAT. NO.	SIZE	L	D	H
CHV0504200	CHV0504200LF	1/2	2.48	.59	1.31
CHV0754200	CHV0754200LF	3/4	2.99	.82	1.53
CHV1004200	CHV1004200LF	1	3.30	1.06	1.75
CHV1254200	CHV1254200LF	1 1/4	3.87	1.29	2.00
CHV1504200	CHV1504200LF	1 1/2	4.33	1.55	2.22
CHV2004200	CHV2004200LF	2	5.41	2.04	2.57
CHV2504200	CHV2504200LF	2 1/2	4.17	1.96	2.99
CHV3004200	CHV3004200LF	3	4.98	2.44	3.22
CHV4004200	CHV4004200LF	4	6.25	3.26	4.05

MATERIAL LIST


NO.	PART NAME	CVH MATERIAL	CVHLF MATERIAL
5	LOCK BOLT	BRASS (ASTM-UNS B16 C36000)	BRASS C46500
4	PIN	BRASS (ASTM-UNS B124 C37700)	BRASS C46500
3	DISC	BRASS (ASTM-UNS B584 C85710)	BRASS C46500
2	CAP	BRASS (ASTM-UNS B584 C85710)	BRASS C46500
1	BODY	BRASS (ASTM-UNS B584 C85710)	BRASS C46500

BOSTON METAL PRODUCTS, LTD. - 25 THURBER BLVD., UNIT #3 - SMITHFIELD, RI 02917
TOLL FREE: 1-800-839-0013, TEL: 401-231-8537, FAX: 401-231-8491
WWW.BOSTONVALVE.COM

CHP537LF SERIES

PRESS SWING CHECK VALVE

A high quality, cast brass, straight pattern, swing check valve with screw cap and metal disk, with press ends. Rated at 200 WOG.




DIMENSIONS

CAT. NO.	SIZE	L	D	H
CHV0504100LF	1/2	1.81	.51	1.33
CHV0754100LF	3/4	2.20	.70	1.47
CHV1004100LF	1	2.48	.86	1.75

MATERIAL LIST



NO.	PART NAME	CHP MATERIAL
6	PRESS ENDS	BRASS C46500
5	LOCK BOLT	BRASS C46500
4	PIN	BRASS C46500
3	DISC	BRASS C46500
2	CAP	BRASS C46500
1	BODY	BRASS C46500



SCV4100 SERIES


NPT SPRING CHECK VALVE

A high quality, cast brass, straight pattern, spring check valve with one piece body and soft seat.
Rated at 200 WOG.



DIMENSIONS

CAT. NO.	SIZE	L	W	LBS
SCV0504100	1/2	2.40	1.26	.43
SCV0754100	3/4	2.74	1.50	.59
SCV1004100	1	3.23	1.77	.86
SCV1254100	1 1/4	3.62	2.13	1.44
SCV1504100	1 1/2	4.04	2.36	1.54
SCV2004100	2	5.04	3.03	3.21



MATERIAL LIST

NO.	PART NAME	MATERIAL
7	STEM NUT	BRASS (ASTM-UNS B16 C36000)
6	O-RING	RUBBER
5	SPRING RETAINER	STAINLESS STEEL (304)
4	SPRING	STAINLESS STEEL (304)
3	GUIDE	POLYACETAL (CF 500 P)
2	STEM/DISC	BRASS (ASTM-UNS B584 C85710)
1	BODY	BRASS (ASTM-UNS B584 C85710)




BOSTON METAL PRODUCTS, LTD. - 25 THURBER BLVD., UNIT #3 - SMITHFIELD, RI 02917
TOLL FREE: 1-800-839-0013, TEL: 401-231-8537, FAX: 401-231-8491
WWW.BOSTONVALVE.COM

BOD1000

CONVENTIONAL

BOILER DRAIN

A quality, cast brass, globe type boiler drain with cast iron hand wheel.



DIMENSIONS

CAT. NO.	SIZE	L	D	H	W
BOD0501000	1/2	1.50	.54	3.62	2.12
BOD0751000	3/4	1.50	.54	3.80	2.12

MATERIAL LIST

NO.	PART NAME	MATERIAL
9	NUT	BRASS
8	SCREW	BRASS
7	HANDWHEEL	CAST IRON
6	STEM PACKING	BUNA
5	PACKING NUT	BRASS
4	SEAT	BUNA
3	STEM	BRASS
2	BONNET	BRASS
1	BODY	BRASS



BOSTON METAL PRODUCTS, LTD. - 25 THURBER BLVD., UNIT #3 - SMITHFIELD, RI 02917
 TOLL FREE: 1-800-839-0013, TEL: 401-231-8537, FAX: 401-231-8491
 WWW.BOSTONVALVE.COM

STO3000

GLOBE TYPE

STOP & WASTE VALVE

A quality, cast brass, globe type stop & waste valve with cast iron hand wheel.



DIMENSIONS

CAT. NO.	SIZE	L	D	W
ST00503000	1/2	2.17	3.17	2.1
ST00753000	3/4	2.73	3.33	2.1

MATERIAL LIST


NO.	PART NAME	MATERIAL
9	NUT	STEEL
8	SCREW	BRASS
7	HANDWHEEL	CAST IRON
6	STEM PACKING	BUNA
5	PACKING NUT	BRASS
4	SEAT	BUNA
3	STEM	BRASS
2	BONNET	BRASS
1	BODY	BRASS

BOSTON METAL PRODUCTS, LTD. - 25 THURBER BLVD., UNIT #3 - SMITHFIELD, RI 02917
TOLL FREE: 1-800-839-0013, TEL: 401-231-8537, FAX: 401-231-8491
WWW.BOSTONVALVE.COM

BALL VALVE HANDLE OPTIONS




EXTENDED HEIGHT HANDLES



DIMENSIONS

P/N	SIZE	A	B	C
XH1	1/4 - 3/8 - 1/2	3 1/2	2 7/8	3/4
XH2	3/4 - 1	4 1/2	2 7/8	7/8
XH3	1 1/4 - 1 1/2 - 2	5 1/2	2 7/8	1


LOCKING HANDLES



DIMENSIONS

P/N	SIZE	A	B	C	D
LH1	1/4, 3/8, 1/2	4 1/4	1 3/4	3/16	9/64
LH2	3/4, 1	4 3/4	2	5/16	1/4
LH3	1 1/4 - 1 1/2 - 2	5 1/2	1 1/2	5/16	1/4


TEE HANDLES



DIMENSIONS

P/N	SIZE	A	B
CT1	1/4 - 3/8 - 1/2	2	5/8
CT2	3/4 - 1	2 1/2	3/4
FM150	1 1/4 - 1 1/2 - 2	6	1 1/4
TH4	2 1/2 - 3 - 4	8 7/8	1 3/4


MEMORY STOPS



DIMENSIONS

P/N	SIZE	A	B
MS1	1/4 - 3/8 - 1/2		
MS2	3/4 - 1		
MS3	1 1/4 - 1 1/2 - 2		
XHMS1	1/4 - 3/8 - 1/2	3 1/2	2 7/8
XHMS2	3/4 - 1	4 1/2	2 7/8
XHMS3	1 1/4 - 1 1/2 - 2	5 1/2	2 7/8

STAINLESS STEEL HANDLES



DIMENSIONS

P/N	SIZE	A	B
SSH1	1/4 - 3/8 - 1/2	3 5/8	3/4
SSH2	3/4 - 1	4 5/8	3/4
SSH3	1 1/4 - 1 1/2 - 2	5 5/8	1

**LET ME INTRODUCE YOU TO
THE BOSTON VALVE COMPANY
AND
OUR PRIVATE LABEL PROGRAM!**

**LEAVE YOUR COMPANY NAME, PHONE
NUMBER, WEBSITE, WHATEVER YOU'D
LIKE, DIRECTLY ON YOUR WORK WITH
EVERY VALVE YOU INSTALL!**

**GET YOUR INFORMATION PRINTED
DIRECTLY ONTO YOUR VALVE HANDLES!**



**YOUR NAME OR CONTACT INFO
PRINTED HERE!**

WWW.BOSTONVALVE.COM

ASK YOUR SUPPLIER ABOUT

ORDERING FROM US

OR CONTACT US DIRECTLY:

CALL: 401-231-8537

TOLL FREE: 1-800-839-0013

Boston Valves Private Label Program

Sleek design and key features will provide you with extensive benefits over comparable competitive products. Engineered to perfection, their products embody attributes that will guarantee customer satisfaction.

- Forged Brass Surace
- Corrosion Resistant
- Blowout-Proof Stems
- Adjustable Packing Nut
- Lock Washer
- Chrome Plated Ball



- Full Port
- 600 WOG
- Reversable Handle
- Ring on the Stem
- Compliance Approved

Private Label Program Ordering Information

- Minimum order Quantity is 100 Piece Carton
- Supply your own artwork.
- Specify Boot and Ink color on the list below.
- Allow 2 weeks lead time after receipt of order and approval of artwork.
- Full freight allowed on orders of \$1000 or more.

PRIVATE LABEL PROGRAM FORM

To: _____ Date: _____

RE: _____

From: _____

Reference #: _____

Artwork Supplied/Attached yes no



SELECT HANDLE COLOR:

yellow blue red green orange black white eco green

SELECT INK COLOR:

blue red gold black white orange yellow pink
 Turquoise

Please sign and return to authorize proceeding with artwork.

Signature: _____

Print name: _____

BOSTON

METAL PRODUCTS, LTD

LIMITED GUARANTEE

Boston Metal Products, LTD. guarantees it's ball valve products will not fail due to material defect or poor craftsmanship (when properly installed and used on suitable applications) or the product will be refunded or replaced at the customers preference. Additionally, a \$25 merchandise credit will be issued to the customer to cover the labor cost to remove any defective product within two years from the purchase date. We issue this guarantee in full confidence of our products.

Thank you for your confidence in us,



Ronald Roberts, Vice President, Sales and Marketing.

bmp

PAYMENT TERMS: PAYMENT IS DUE WITHIN 30 DAYS OF INVOICE DATE.
A 2% DISCOUNT MAY BE TAKEN IF PAYMENT IS RECEIVED
WITHIN 10 DAYS OF INVOICE DATE.
A 1.5% FINANCE CHARGE WILL BE ADDED MONTHLY
TO PAST DUE ACCOUNTS.

FREIGHT TERMS: VARIES BY REGION, CALL OFFICE FOR DETAILS.

MINIMUM ORDER: \$200

ALL ORDERS ARE SHIPPED BY UPS OR LTL CARRIER AT SHIPPER'S DISCRETION.

F.O.B. POINT: SMITHFIELD, RHODE ISLAND

RETURN POLICY: RETURN AUTHORIZATION MUST BE OBTAINED FROM
BOSTON VALVE BEFORE ANY GOODS ARE RETURNED.
NO RETURNS WILL BE ALLOWED AFTER 1 YEAR FROM
DATE COLLECT SHIPMENTS WILL BE ACCEPTED. ALL RETURNS
MADE FOR REASONS OTHER THAN DEFECTS ARE SUBJECT TO
A POSSIBLE RESTOCKING CHARGE. DISCONTINUED ITEMS
ARE NOT RETURNABLE.



REPRESENTED BY

BOSTON VALVE COMPANY
BOSTON METAL PRODUCTS, LTD.
25 THURBER BLVD. UNIT #2
SMITHFIELD, RHODE ISLAND 02917
TEL: (401) 231-8537 OR (800) 839-0013
FAX: (401) 231-8491
EMAIL: INFO@BOSTONVALVE.COM
WEBSITE: WWW.BOSTONVALVE.COM